


Conservatory Components

Capex 50 & 70

Capex™ 50 & 70 Roof Capping System.


This easy to use Aluminium system comes in three finishes and various lengths. Fixings are concealed. Manufactured to B.S.1474. Showing CFX MK4 Ridge.



Please contact us for any further assistance, or fax through your drawing we can list your requirements and quote.

Capex 50 For Roof Pitches Of 5° +


Available in White (RAL9010), Brown (RAL8040) or Plain Mill. Ref:CAP/50 1.04.560



Available in lengths of 2.4m, 3m & 4.8m.

Capex 70 For Roof Pitches Of 5° +

Available in White (RAL9010), Brown (RAL8040) or Plain Mill. Ref:CAP/70 1.04.750




Available in lengths of 2.4m, 3m & 4.8m.

Conservatory Components

Capex 50 & 70 Gable End, Wall Flashing & Horizontal Bar

Capex 50 Gable End Profile


Available in White (RAL9010), Brown (RAL8040) or Plain Mill. Ref:CGF/50 1.04.275



Available in lengths of 3m.

Capex 70 Gable End Profile


Available in White (RAL9010), Brown (RAL8040) or Plain Mill. Ref:CGF/70 1.04.277



Available in lengths of 3m.

Capex 50 Wall Flashing Profile


Available in White (RAL9010), Brown (RAL8040) or Plain Mill. Ref:CWF/50 1.04.265



Available in lengths of 3m.

Capex 70 Wall Flashing Profile


Available in White (RAL9010), Brown (RAL8040) or Plain Mill. Ref:CWF/70 1.04.267



Available in lengths of 3m.

Horizontal Bar, For Over Transom

Available in White (RAL9010), Brown (RAL8040) or Plain Mill. Ref:HGB/16-24 or HGB/25-32 depending on unit size.



Available in lengths of 3m. Thermally broken.

Self Supporting Horizontal Bar

Available in White (RAL9010), Brown (RAL8040) or Plain Mill. Ref:HGB/SS/ 16-24 or 25-32 depending on unit size.



Self supporting up to 1m


Available in lengths of 3m. Thermally broken.

Conservatory Components

Capex For Gable End Roof & Cresfinex Ridge

Capex™ & CFX For Gable End Roofs.

This easy to use Aluminium system comes in three finishes and various lengths. Fixings are concealed. Manufactured to B.S.1474.



Please contact us for any further assistance, or fax through your drawing we can list your requirements and quote.


Cresfinex 100mm MK2 Ridge

Available in White (RAL9010), Brown (RAL8040) or Plain Mill. Ref:CFX/M2/100 1.05.040

Cresfinex 175mm MK2 Ridge


Available in White (RAL9010), Brown (RAL8040) or Plain Mill. Ref:CFX/M2/175 1.05.060

Rag 55 Rafter gasket Ref:1.09.255 & Aluminium Snap Cover Ref:1.05.021 are available seperately.



Available in lengths of 3m & 4.8m.

For roof pitches 15° to 35°, for over 35° and up to 50° fit Hip & Valley Gasket.



Available in lengths of 3m.
For roof pitches 15° to 35°.


Conservatory Components

Ankorglaze

Ankorglaze For Glass Retention

Available in White (RAL9010), Brown (RAL8040) or Plain Mill. Ref:AKG

Available in lengths of 2.1m.




- A** Set top of Ring Beam level with top of Rafter.
- B** Fit Glazing Anchoring Profile to Ring Beam between Rafters.
- C** Cut Roof Glazing End Closure 10mm wider than Glass.

Ankorglaze For Glass Retention With Condensation Control

Available in White (RAL9010), Brown (RAL8040) or Plain Mill. Ref:AKG/CC

Available in lengths of 2.1m.



- A** Set top of Ring Beam 10mm below top of Rafter.
- B** Fit Glazing Anchoring Profile to Ring Beam between Rafters.
- C** Cut Roof Glazing End Closure 10mm wider than Glass.
- D** If drainage is required, drill a 5mm hole in channel of Glazing Anchoring Profile.

Tel: 01535 602517 Fax: 01535 662054
OPEN: Mon to Fri 8.30am - 5pm / Sat 8.30am - 12pm

119